



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/091,596	03/07/2002	Peter Magnus Petersson	2380-592	7687

23117 7590 01/05/2007  
NIXON & VANDERHYE, PC  
901 NORTH GLEBE ROAD, 11TH FLOOR  
ARLINGTON, VA 22203

EXAMINER
----------

NGUYEN, THUAN T

ART UNIT	PAPER NUMBER
----------	--------------

2618

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/05/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/091,596	<b>Applicant(s)</b> PETERSSON ET AL.	
	<b>Examiner</b> THUAN T. NGUYEN	<b>Art Unit</b> 2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-6,9,17-26,29-33 and 35-37 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6,9,17-26,29-33 and 35-37 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |  |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                               | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                      | 5) <input type="checkbox"/> Notice of Informal Patent Application                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date ____ | 6) <input type="checkbox"/> Other: ____  |

## DETAILED ACTION

### *Remark*

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive since the final is premature and, therefore, the finality of that action is withdrawn. This office action (same as the previous action) is considered as non-final action and the response time should be reset.
2. Claims 7-8, 10-16, 27-28, and 34 have been previously canceled. Pending claims are claims 1-6, 9, 17-26, 29-33, and 35-37.

### *Response to Arguments*

3. Applicant's arguments with respect to claims 1-6, 9, 17-26, 29-33, and 35-37 have been considered but are moot in view of the new ground(s) of rejection.

### *Claim Rejections - 35 USC § 103*

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

*(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.*

5. Claims 1-6, 9, 17-26, 29-33, and 35-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schick et al. (U.S. Patent No. 5,970,053) in view of Hoenninger, III (U.S. Patent No. 5,739,691).

Regarding claim 1, Schick discloses an apparatus (Fig. 1) comprising: a mixer for mixing a received signal and a local oscillator signal and generating an analog, frequency converted

Art Unit: 2618

signal (Fig. 1, item 168 for a mixer in mixing a received signal from program source signal 102-1...102-83 and a local signal oscillator (LO) from LO 170 to analog frequency converted signal or frequency modulated signal –with modulators 116-1 to 116-83, see col. 4/line 58 to col. 5/line 19 and col. 6/line 28 to col. 7/line 34), and an analog-to-digital converter for converting the analog, frequency-converted signal into a corresponding digital signal (Fig. 1/item ADC 192 for analog-to-digital converter for converting analog frequency converted signals to corresponding digital signals, see col. 8/lines 43-67); and wherein a frequency of the local oscillator signal is set in relation to a frequency of a sampling rate of the analog-to-digital converter to avoid aliasing in the desired receive band, i.e., this is from the Nyquist theorem principal as the minimum sampling rate should be at least twice that of the highest frequency component of the signal being sampled to avoid aliasing (col. 6/lines 52-67 and col. 10/lines 1-26 for examples of the frequency of the local oscillator signal is an integer multiple of half of a sampling rate of the analog-to-digital converter, see equation 7 as  $F_{fund}$  (fundamental or reference frequency) considering for Frequency from the LO is 6 MHz (half of the sampling rate), while  $F_{sync}$  for sampling rate is 12 MHz (twice) with  $I/J$  is a coefficient for integers).

Schick further suggests “wherein the apparatus is used in a receiver without a filter between the mixer and the analog-to-digital converter”, i.e., although a filter 182 is included, yet Schick notes that it is only preferable to (have filter) have ample attenuation to ensure that aliased signal levels is below a defined bit-weight of ADC, this suggests an option in including the filter based on ADC’s type and designing configuration of the receiver (col. 8/line 58 to col. 9/line 19). Furthermore, Hoenninger clearly teaches within an RF receiver, a mixer is directly coupled to an analog-to-digital converter without a need for a filter (refer to Fig. 2, for mixer or

Art Unit: 2618

RF amplifier 156 is connected to ADC 166 without a filter in between) although the same objective is to avoid aliasing in ADC (refer to col. 1/lines 24-37). Therefore, it would have been obvious to one of ordinary skill in the art to modify Schick's system with the suggestion of Schick and the teaching of Hoenninger to have a filter as an option between the mixer and the ADC within the RF receiver as desired.

For claims 2 and 3, in view of claim 1, Schick discloses "wherein the frequency of the local oscillator signal is an integer multiple of half of the sampling rate of the analog-to-digital converter" (refer to claim 1 above) and "wherein the frequency of the local oscillator signal  $F_{LO}$  is  $F_{LO} = n * F_{ADC}/2$ , where  $F_{ADC}$  is the sampling rate of the analog-to-digital converter, and  $n$  is a positive integer", i.e., this is from the Nyquist theorem principal as the minimum sampling rate should be at least TWICE that of the highest frequency component of the signal being sampled to avoid aliasing (col. 6/lines 52-67 and col. 10/lines 1-26 for examples of the frequency of the local oscillator signal is an integer multiple of half of a sampling rate of the analog-to-digital converter, see equation 7 as  $F_{fund}$  (fundamental or reference frequency) considering for Frequency from the LO is 6 MHz (half of the sampling rate), while  $F_{sync}$  for sampling rate is 12 MHz (twice) with  $I/J$  is a coefficient for integers).

For claim 4, in view of claim 1, Schick further discloses "comprising: an oscillator for generating a periodic signal, wherein the periodic signal is used to generate both the local oscillator signal and a sampling rate signal for the analog-to-digital converter" (Fig. 1, item 170, and col. 6/line 52 to col. 7/line 54 for LO 170 and corresponding PLL in providing  $S_{LO}$ ,  $S_{RF}$  and  $S_{IF}$ , or other words, LO in generating the periodic signal is used to generate both the local oscillator signal and a sampling rate signal for the analog-to-digital converter ADC 192).

For claim 5, in view of claim 4, Schick further discloses “comprising: a frequency changer, receiving the periodic signal from the oscillator, for providing the local oscillator signal to the mixer and a sampling rate signal to the analog-to-digital converter” (Fig. 1/item 208 and col. 10/lines 1-50 for a frequency divider in changing the frequency and under the control of LO 170 in providing the local oscillator signal 170 to the mixer 168 and a sampling rate signal to the analog-to-digital converter ADC 192, and Fig. 8 is a closer up view of frequency divider 208).

For claim 6, in view of claim 5, Schick discloses “wherein the frequency changer includes a first frequency divider for dividing the periodic signal in half to generate the local oscillator signal and for dividing the periodic signal by an integer to generate the sampling rate signal of the analog-to-digital converter” (Fig. 8 for a frequency divider circuit, and claim 1 above again for dividing the periodic signal in half to generate the local oscillator signal and for dividing the periodic signal by an integer to generate the sampling rate as explained above).

(Claims 7-8 have been canceled).

For claim 9, in view of claim 1, Schick discloses “wherein the analog, frequency-converted signal from the mixer is coupled directly to the analog-to-digital converter” (as shown in Fig. 1, analog converted signal from mixer 168 is summing at 190 and coupled directly to ADC 192).

(Claims 10-16 have been previously canceled).

Regarding claims 17-32, 34, and 36-37, these claims with same limitations addressed above are rejected for the reasons given in the scope of claims 1-6, 9 and 35 as disclosed in view of Schick and Hoenninger above and as below.

For claim 33, Schick further teaches “comprising: determining a receive frequency band for the received signal and a sampling rate range for the analog to digital conversion; defining limits for the frequency of the local oscillator signal in accordance with the receive frequency band and the frequency of the sampling signal in accordance with the sampling rate range; and selecting, within the defined limits, the frequency of the local oscillator signal and the frequency of the sampling rate signal so that the frequency of the local oscillator signal is an integer multiple of half of the frequency of the sampling rate signal” (col. 9/lines 20-33, and col. 10/line 1 to col. 11/line 38 for defined sampling windows for sampling rate ranges, and importantly, based on Nyquist criteria, all attributes and frequency configurations must be defined and limited within a limit to avoid aliasing as noted above).

For claim 35, in view of claim 1, Schick further discloses “comprising: an antenna; a front end for processing a radio frequency signal received via the antenna” (program source signals received from an antenna, col. 4/lines 58-61); and “digital processing circuitry for processing the digital signal” (col. 3/lines 50-62 for DSP or digital signal processing is included).

### *Conclusion*

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Shen et al, and Birgenheier et al. (PTO-892 attached) disclose systems related to RF receiver with anti-aliasing techniques.

Art Unit: 2618

7. **Any response to this action should be mailed to:**  
Commissioner of Patents and Trademarks  
Washington, D.C. 20231

**or faxed to the New Central Fax number:**  
(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window,  
Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895. The examiner can normally be reached on Monday-Friday from 9:30 AM to 7:00 PM, with alternate Fridays off.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



**TONY T. NGUYEN**  
**PATENT EXAMINER** *TS*

Tony T. Nguyen  
Art Unit 2618  
December 05, 2006